CUMULATIVE AUTHOR INDEX
Annals of the Entomological Society of America
Volume 88, 1995

A

Abbassy, M. M., 809, 815, 821
Abbott, J. C., 234
Adler, P. H., 51
Ahn, K.-J., 143
Allen, R. T., 255
Alston, D. G., 471
Ashe, J. S., 143
Assael, F., 856
Averill, A. L., 334

B

Berlyn, G. P., 827
Beshear, D. D., 554
Bethke, J. A., 196
Bitzer, R. J., 362
Black IV, W. C., 294, 316
Blocker, H. D., 294, 316
Boo, K. S., 519
Borden, J. H., 756
Bradshaw, W. E., 465
Breden, F. J., 357
Broberg, L., 465
Broughton, R. E., 120

C

Campiolo, S., 570
Carmi-Gera, E., 856
Carter, J. L., 416
Chippendale, G. M., 357
Cladera, J. L., 353
Clark, D. C., 554
Clayton, D. H., 718
Cockburn, A. F., 836
Cognato, A. I., 397
Colbo, M. H., 51
Coll, M., 732
Colleran, M., 45
Collier, T. R., 206
Colquhoun, S., 485
Colwell, R. K., 284
Cook, S. P., 427
Cooley, J. R., 576
Cope, S. E., 809, 815, 821
Corrigan, J. E., 773
Cox, J. R., 471
Cryan, J. R., 5
Curtis, A. D., 764

D

Deitz, L. L., 5
Dietrich, C. H., 263
Dominici, G. O., 31
Dussourd, D. E., 163
Dykstra, T. M., 348

E

Edmunds, Jr., G. F., 324

F

Fang, Q., 294, 316
Fetterer, R. H., 496
Filippi-Tsukamoto, L., 374, 456
Fowler, H. G., 570
Fox, C. W., 100
Furniss, M. M., 173, 653

G

Gagné, R. J., 16
Gahan, L. J., 531
Galliart, P. L., 362
Goeden, R. D., 58
Gould, J. R., 666
Goyer, R. A., 391

H

Hammack, L., 562
Hammond, A. M., 748
Hanks, L. M., 183, 666
Hanlon, C. C., 391
Hanson, P., 406
Hardy, T. N., 748
Harvey, A. E., 653
Haymer, D. S., 705
Headrick, D. H., 58
Heckel, D. G., 531
Helmy, N., 809, 815, 821
Hickey, D. A., 155
Hickman, D. L., 100
Hierro, B., 31
Higo, H. A., 366
Hirose, E., 661
Honda, J. Y., 441
Hopper, K. R., 713
Horne, M., 862, 868
Howard, C. D., 485
Howard, R. W., 485

I

Ibarra F., F., 471
Infante, F., 406
Issa, S., 328

J

Jackson, J. J., 781
Jaffe, K., 328
Johnson, M. W., 531

K

Katsoyannos, B. I., 547
Kawano, K., 92, 641
Keena, M. A., 672, 680
King, E. G., 800
Kirchner, R. F., 234
Koh, Y. H., 519
Kouloussis, N. A., 547
Krafsur, E. S., 72, 699
Kruft, R. A., 129
Kuku, K., 374

L

Laing, J. E., 773
LaMana, M. L., 785
Landolt, P. J., 768
Landry, J.-F., 155
Lanteri, A. A., 722
Larocque, L., 887
Lenhard, G. J., 391
Leong, K.L.H., 45
Lew, A. C., 781
Liu, N., 603
Liu, H., 215
Liu, S.-S., 107

Lopes, J.R.S., 227
Loudon, C., 1
Lowerisen, K., 45
Luck, R. F., 441

M
Mackauer, M., 220
Mackenzie, K. E., 334
Maier, C. T., 739
Margolies, D. C., 342
Martin, R. M., 471
Mathis, W. N., 627
McCafferty, W. P., 324
McCauley, D. E., 357
McCombs, S. D., 695
McCreadie, J. W., 51
McDonald, R. S., 756
Meeker, J. R., 391
Mendel, Z., 856
Messing, R. H., 189
Michaud, J.-P., 220
Millar, J. G., 183, 666
Miller, J. C., 785
Milne, K., 201, 348
Mitchell, S. E., 836
Miyatake, T., 848
Moore, A. J., 554
Morales-Ramos, J. A., 800
Moulton II, S. R., 234
Mousseau, T. A., 100
Moya-Raygoza, G., 434

N
Nagatomi, A., 603
Naskrecki, P., 284
Nation, J. L., 201, 348
Nault, L. R., 227
Neal, Jr., J. W., 496
Nechols, J. R., 342
Newman, S. M., 512
Nguyên, T., 12
Nomakuchi, S., 374, 456
Normark, B. B., 722

O
O'Brien, E., 45
Obrycki, J. J., 72
ODell, T. M., 672, 680
Oliver, J. E., 496
Osman, M., 809, 815, 821
Ottea, J. A., 80

P
Page, M. 271
Paine, T. D., 183, 196, 391, 666
Palmer, J. O., 887
Panizzi, A. R., 661
Park, K. C., 519
Pashley, D. P., 80, 391, 748
Peacock, J. W., 416
Perera, O. P., 836
Perez, D. E., 31
Pesquero, M. A., 570
Peterson II, R. D., 690
Pettis, J. S., 580
Phelan, P. L., 227
Phillips, A. J., 281
Phillips, P. K., 479
Phoofolo, M. W., 72
Podoler, H., 856
Porter, S. D., 570
Presley, S. M., 809, 815, 821
Price, R. D., 718

Q
Quicke, D.L.J., 129

R
Raleigh, E. L., 100
Ramadan, M. M., 189
Ramos, C., 328
Rankin, S. M., 887
Reardon, R. C., 427
Redak, R. A., 196
Rice, M. E., 451
Richmond, J., 271
Ridgway, R. L., 732
Riemann, J. G., 512
Risser, A. L., 887
Rogers, S. O., 397
Rojas, M. G., 800
Ross, M. H., 215, 538, 543, 846
Rossi, A. M., 39
Roush, R. T., 713
Ruberson, J. R., 502

S
Sanborn, A. F., 479
Saul, S. H., 695
Schaefer, C. W., 12
Schiff, N., 357
Seawright, J. A., 836
Sene, F.D.M., 139
Shaffer, C. S., 362
Shaw, K. C., 362
Shelly, T. E., 883
Shields, K. S., 827
Silverman, J., 846
Simon, C., 281
Slessor, K. N., 366, 580
Smittle, B. J., 201, 348
Solheim, H., 653
Sperling, F.A.H., 155
Stewart, K. W., 234
Stiefel, V. L., 342
Stiling, P., 39
Stoffolano, Jr., J. G., 240

T
Tabashnik, B. E., 531
Talley, S. E., 416
Tanaka, A., 543
Tanner, J. A., 672, 680
Tatman, K. M., 427
Tauber, C. A., 502
Tauber, M. J., 502
Taylor, D. B., 690
Teale, S. A., 397
Teerink, J. A., 58
Tidon-Sklorz, R., 139
Tobin, E. N., 240
Tojo, S., 374, 456
Troendle, M. A., 362
Trumble, J. T., 196
Tschinkel, W. R., 876

V
Vander Meer, R. K., 570
Veenstra, K. H., 80
Vega, F. E., 263
Vetter, R. S., 791

Visscher, P. K., 791

W

Wagner, D. L., 416
Waller, D. A., 764
Wang, T.-Q., 324
Wang, Q., 666
Ward, K. E., 768
Webb, R. E., 427
Wharton, R., 406
Wieber, A. M., 427
Wilson, J., 240
Winston, M. L., 366, 580
Wong, T.T.Y., 189
Woodson, W. D., 781

Y

Yin, C.-M., 240
Young, R. F., 827

Z

Zhang, G.-M., 107
Zhu, J., 107
Zubricky, J. S., 773

CUMULATIVE SUBJECT INDEX
Annals of the Entomological Society of America
Volume 88, 1995

A

acetogenins, bioassays, 496
lace bugs, 496
Acheta domesticus, magnetic field, 362
singing, 362
acoustic communication, individual discrimination, 554
male—male competition, 554
scaling, 479
sound pressure level, 479
Adelges tsugae, hemlock wooly adelgid, 827
stylet bundle, 827
Aeneoloamia albofasciata, *Cenchrus ciliaris*, 471
Sonoran Desert, 471
age-grading, *Coccinella septempunctata*, 72
ovarian development, 72
allometry, dimorphism, 92
rhinoceros beetles, 92
almond, behavior, 547
Eurytoma amygdali, 547
alpine insects, heliotropism, 576
Ranunculus adoneus, 576
Anomoea flavokansiensis, diapause, 342
quiescence, 342
Anopheles quadrimaculatus, mtDNA, 836
rDNA, 836
antennae, *Helicoverpa assulta*, 519
oriental tobacco budworm, 519
Anthonomus grandis, boll weevil, 800
parasitoid, 800
ants, *Dalbulus quinquenotatus*, 434
mutualism, 328, 434
termites, 328
Aonidiella aurantii, *Aspidiotous nerii*, 441
Rhyzobius lophanthae, 441
Apis mellifera, behavior, 580
pollination, 366
queen pheromone, 366, 580
apomixis, broad-nosed weevils, 722
evolution of sex, 722
apple, leafminer, 739
Lyonetia latisrigella, 739
Archips argyrospila, fruittree leafroller, 391
pheromones, 391
artificial diet, laboratory rearing, 672, 680
Lymantria dispar, 672, 680
Ascidae, flower mites, 284
phoresy, 284
Asphondylia borrichiae, gall midge, 39
host use, 39
Aspidiotous nerii, *Aonidiella aurantii*, 441
Rhyzobius lophanthae, 441
Avetianella, Encyrtidae, 666
Phoracantha semipunctata, 666

B

Bacillus thuringiensis, *Plutella xylostella*, 531
randomly amplified polymorphic DNA, 531
Bactrocera cucurbitae, developmental period, 848
genetic markers, 705
random amplified polymorphic DNA-polmerase chain reaction, 705
selection, 848
Bactrocera dorsalis, *Biosteres vandenboschi*, 189
Ceratitis capitata, 189
genetic sexing, 695
mating competitiveness, 883
sterile insect technique, 883
translocation, 695
behavior, almond, 547
Apis mellifera, 580
biology, 58
Euaresta, 58
Eurytoma amygdali, 547
genetics, 846
German cockroach, 846
queen pheromone, 580
Bemisia tabaci, *Lactuca sativa*, 163

Uroleucon pseudambrosiae, 163
bioassays, acetogenins, 496
lace bugs, 496
biogeography, Greater Antilles, 263
systematics, 263
biological control, endangered species, 713
laboratory rearing, 713
Orius insidiosus, 732
predator-prey interactions, 732
Solenopsis invicta, 570
Solenopsis saevissima, 570
biology, behavior, 58
Euaresta, 58
biomechanics, mechanics, 1
morphology, 1
Biosteres vandenboschi, *Bactrocera dorsalis*, 189
Ceratitis capitata, 189
Blattella, chiasmata, 215
interspecific hybrids, 215
Blattella germanica, chromosome orientation, 543
translocation, 543
boll weevil, *Anthonomus grandis*, 800
parasitoid, 800
Braconidae, systematics, 129
Yelicones, 129
broad-nosed weevils, apomixis, 722
evolution of sex, 722
Bryobiota, cladistic analysis, 143
intertidal Staphylinidae, 143
bursa copulatrix, *Danaus plexippus*, 45
spermatophore, 45

C

calling, *Diabrotica barberi*, 562
Diabrotica virgifera virgifera, 562
Callosobruchus maculatus, ejaculate size, 100
multiple mating, 100
Calvia, Coccinellidae, 785
polymorphism, 785
Campodeidae, Diplura, 255
taxonomy, 255
Cenchrus ciliaris, *Aeneoloamia albofasciata*, 471
Sonoran Desert, 471
Cerambycidae, *Eucalyptus*, 183
host quality, 451
Oncideres cingulata, 451
Phoracantha semipunctata, 183
Ceratitis capitata, *Bactrocera dorsalis*, 189
Biosteres vandenboschi, 189
genetic sexing, 353
Mediterranean fruit fly, 353
Chalcidoidea, gall formation, 406
Philodendron, 406
character displacement, interspecific competition, 641
rhinoceros beetles, 641
chiasmata, *Blattella*, 215
interspecific hybrids, 215
chromosome orientation, *Blattella germanica*, 543
translocation, 543
Chrysopa, larval morphology, 502
sibling species, 502
Cicadellidae, molecular systematics, 316
morphology, 316
cladistic analysis, *Bryobiota*, 143
intertidal Staphylinidae, 143
classification, Ephemeroptera, 324
Teloganella, 324
Coccinella septempunctata, age-grading, 72
ovarian development, 72
Coccinellidae, *Calvia*, 785
polymorphism, 785
Cochliomyia macellaria, isozymes, 690
population genetics, 690
community, cytospecies, 51
Simuliidae, 51
competition, *Cotesia melanoscela*, 427
Gelis, 427
interference, 465
Wyeomyia smithii, 465
corn rootworm, *Diabrotica*, 781
hatch, 781
Cotesia melanoscela, competition, 427
Gelis, 427
cranberry, native bees, 334

pollination, 334
cuticle, *Oryzaephilus surinamensis*, 485
stress physiology, 485
cuticular hydrocarbons, *Dioryctria*, 271
isozyme, 271
cytospecies, community, 51
Simuliidae, 51

D

Dalbulus quinquenotatus, ants, 434
mutualism, 434
Danaus plexippus, bursa copulatrix, 45
spermatophore, 45
Delia antiqua, eclosion, 756
protandry, 756
Deltocephalus-like, leafhoppers, 294
Nearctic, 294
Dendroctonus punctatus, *Picea*, 173
Scolytidae, 173
detoxication enzymes, nutritional physiology, 80
Spodoptera frugiperda, 80
development, *Encelia farinosa*, 196
Ephestia kuehniella, 773
fitness traits, 748
host specificity, 748
Trichogramma minutum, 773
Trirhabda geminata, 196
development rate, rate summation, 107
varying temperature, 107
developmental period, *Bactrocera cucurbitae*, 848
selection, 848
Diabrotica barberi, calling, 562
Diabrotica virgifera virgifera, 562
gene flow, 699
voltinism, 699
Diabrotica virgifera virgifera, calling, 562
Diabrotica barberi, 562
Diabrotica, corn rootworm, 781
hatch, 781
diapause, *Anomoea flavokansiensis*, 342
quiescence, 342
Diatraea grandiosella, population genetics, 357
range expansion, 357
dimorphism, allometry, 92
rhinoceros beetles, 92
Dioryctria, cuticular hydrocarbons, 271
isozyme, 271
Diplura, Campodeidae, 255
taxonomy, 255
Diptera, embryogenesis, 809, 815, 821
Ephydridae, 627
Phlebotomus papatasi, 809, 815, 821
shore flies, 627
dispersal, flight periodicity, 227
Graminella nigrifrons, 227
DNA extraction, Gryllidae, 281
polymerase chain reaction, 281
dorsal disks, morphology, 512
Trialeurodes vaporariorum, 512
Drosophila, feces—vomit feeding, 240
licking behavior, 240
repleta group, 139
speciation, 139
drumming, Plecoptera, 234
Soyedina, 234

E

earwig, ovarian development, 887
reproductive cycle, 887
eclosion, *Delia antiqua*, 756
protandry, 756
egg maturation, host feeding, 206
longevity, 206
ejaculate size, *Callosobruchus maculatus*, 100
multiple mating, 100
Elatophilus hebraicus, *Matsucoccus josephis*, 856
oviposition, 856
embryogenesis, Diptera, 809, 815, 821
Phlebotomus papatasi, 809, 815, 821
Encelia farinosa, development, 196
Trirhabda geminata, 196
Encyrtidae, *Avetianella*, 666
Phoracantha semipunctata, 666
endangered species, biological control, 713
laboratory rearing, 713

Ephemeroptera,
classification, 324
Teloganella, 324
Ephestia kuehniella,
development, 773
Trichogramma minutum, 773
Ephydridae, Diptera, 627
shore flies, 627
Euaresta, behavior, 58
biology, 58
Eucalyptus,
Cerambycidae, 183
Phoracantha semipunctata, 183
Eurytoma amygdali,
almond, 547
behavior, 547
evolution of sex, apomixis, 722
broad-nosed weevils, 722

F

feces—vomit feeding,
Drosophila, 240
licking behavior, 240
fecundity, mating frequency, 768
Trichoplusia ni, 768
Feltiella, key, 16
revision, 16
fitness traits,
development, 748
host specificity, 748
flight periodicity,
dispersal, 227
Graminella nigrifrons, 227
flower mites, Ascidae, 284
phoresy, 284
Formicaricola,
Ischnocera, 718
Phthiraptera, 718
fruittree leafroller, *Archips argyrospila*, 391
pheromones, 391

G

gall formation,
Chalcidoidea, 406
Philodendron, 406
gall midge, *Asphondylia borrichiae*, 39
host use, 39
Gelechiidae, Lepidoptera, 416
Tortricidae, 416
Gelis, competition, 427
Cotesia melanoscela, 427
gene flow, *Diabrotica barberi*, 699
voltinism, 699
genetic markers,
Bactrocera cucurbitae, 705
random amplified polymorphic DNA-polmerase chain reaction, 705
genetics, behavior, 846
German cockroach, 846
genetic sexing,
Bactrocera dorsalis, 695
Ceratitis capitata, 353
Mediterranean fruit fly, 353
translocation, 695
German cockroach,
behavior, 846
genetics, 846
mutants, 538
translocations, 538
Glycine max, *Sesamum indicum*, 661
Stink bug, 661
Graminella nigrifrons,
dispersal, 227
flight periodicity, 227
Greater Antilles,
biogeography, 263
systematics, 263
Gryllidae, DNA extraction, 281
polymerase chain reaction, 281
guarding behavior,
parental care, 374
progressive provisioning, 374

H

habitat selection,
Hemiptera, 456
resource availability, 456
hatch, corn rootworm, 781
Diabrotica, 781
Helicoverpa assulta,
antennae, 519
oriental tobacco budworm, 519
heliotropism, alpine insects, 576
Ranunculus adoneus, 576
Hemiptera, habitat selection, 456
resource availability, 456
hemlock wooly adelgid,
Adelges tsugae, 827
stylet bundle, 827
Heteroptera,
Pyrrhocoridae, 12
Pyrrhopeplus, 12
Hispaniola,
Pyrgomorphidae, 31
Sphenariini, 31
host feeding, egg maturation, 206
longevity, 206
host quality,
Cerambycidae, 451
Oncideres cingulata, 451
host specificity,
development, 748
fitness traits, 748
host use, *Asphondylia*

borrichiae, 39
gall midge, 39
imaginal disks, insect brain, 348
radiation, 348
individual discrimination, acoustic communication, 554
male—male competition, 554
insect brain, imaginal disks, 348
radiation, 348
insect rearing, *Vespula pensylvanica*, 791
yellowjacket, 791
interference, competition, 465
Wyeomyia smithii, 465
interspecific competition, character displacement, 641
rhinoceros beetles, 641
interspecific hybrids, *Blattella*, 215
chiasmata, 215
intertidal Staphylinidae, *Bryobiota*, 143
cladistic analysis, 143
Ips, molecular systematics, 397
random amplified polymorphic DNA, 397
Ips pini, *Ophiostoma ips*, 653
Scolytidae, 653
Ischnocera, *Formicaricola*, 718
Phthiraptera, 718
isozyme, *Cochliomyia macellaria*, 690
cuticular hydrocarbons, 271
Dioryctria, 271
population genetics, 690

K

key, *Feltiella*, 16
revision, 16

L

laboratory rearing, artificial diet, 672, 680
biological control, 713
endangered species, 713
Lymantria dispar, 672, 680
lace bugs, acetogenins, 496
bioassays, 496
Lactuca sativa, *Bemisia tabaci*, 163
Uroleucon pseudambrosiae, 163
larvae, oviposition, 876
Solenopsis invicta, 876
larval morphology, *Chrysopa*, 502
sibling species, 502
leaf area, leaf toughness, 868
Megachile rotundata, 868
leaf toughness, leaf area, 868
Megachile rotundata, 868
leafhoppers, *Deltocephalus*-like, 294
Nearctic, 294
leafminer, apple, 739
Lyonetia latisrigella, 739
Lepidoptera, Gelechiidae, 416
Tortricidae, 416
licking behavior, *Drosophila*, 240
feces—vomit feeding, 240
longevity, egg maturation, 206
host feeding, 206
Lymantria dispar, artificial diet, 672, 680
laboratory rearing, 672, 680
Lyonetia latisrigella, apple, 739
leafminer, 739

M

magnetic field, *Acheta domesticus*, 362
singing, 362
male—male competition, acoustic communication, 554
individual discrimination, 554
mating competitiveness, *Bactrocera dorsalis*, 883
sterile insect technique, 883
mating frequency, fecundity, 768
Trichoplusia ni, 768
mating status, patch-residence time, 220
superparasitism, 220
Matsucoccus josephis, *Elatophilus hebraicus*, 856
oviposition, 856
mechanics, biomechanics, 1
morphology, 1
Mediterranean fruit fly, *Ceratitis capitata*, 353
genetic sexing, 353
Megachile rotundata, leaf area, 868

leaf toughness, 868
pollen preference, 862
pollination, 862
melanization,
phenoloxidase, 201
radiation, 201
Membracidae, *Smerdalea*, 5
taxonomy, 5
mitochondrial DNA,
speciation, 120
Zootermopsis, 120
molecular systematics,
Cicadellidae, 316
Ips, 397
morphology, 316
random amplified polymorphic DNA, 397
morphology,
biomechanics, 1
Cicadellidae, 316
dorsal disks, 512
mechanics, 1
molecular systematics, 316
Trialeurodes vaporariorum, 512
morphology and taxonomy, primitive Brachycera, 603
spermatheca, 603
mtDNA, *Anopheles quadrimaculatus*, 836
rDNA, 836
multiple mating,
Callosobruchus maculatus, 100
ejaculate size, 100
mutants, German cockroach, 538
translocations, 538
mutualism, ants, 328, 434
Dalbulus quinquenotatus, 434
termites, 328

N

native bees, cranberry, 334
pollination, 334
Nearctic, *Deltocephalus*-like, 294
leafhoppers, 294
nitrogen fixation,
Reticulitermes flavipes, 764
Reticulitermes virginicus, 764
nutritional physiology,
detoxication enzymes, 80
Spodoptera frugiperda, 80

O

Oncideres cingulata,
Cerambycidae, 451
host quality, 451
Ophiostoma ips, *Ips pini*, 653
Scolytidae, 653
oriental tobacco budworm, antennae, 519
Helicoverpa assulta, 519
Orius insidiosus,
biological control, 732
predator-prey interactions, 732
Oryzaephilus surinamensis, cuticle, 485
stress physiology, 485
ovarian development,
age-grading, 72
Coccinella septempunctata, 72
earwig, 887
reproductive cycle, 887
oviposition, *Elatophilus hebraicus*, 856
larvae, 876
Matsucoccus josephis, 856
Solenopsis invicta, 876

P

parasitoid, *Anthonomus grandis*, 800
boll weevil, 800
parental care, guarding behavior, 374
progressive provisioning, 374
patch-residence time,
mating status, 220
superparasitism, 220
phenoloxidase,
melanization, 201
radiation, 201
pheromones, *Archips argyrospila*, 391
fruittree leafroller, 391
Philodendron,
Chalcidoidea, 406
gall formation, 406
Phlebotomus papatasi,
Diptera, 809, 815, 821
embryogenesis, 809, 815, 821
Phoracantha semipunctata,
Avetianella, 666
Cerambycidae, 183
Encyrtidae, 666
Eucalyptus, 183
phoresy, Ascidae, 284
flower mites, 284
Phthiraptera,
Formicaricola, 718
Ischnocera, 718
Picea, *Dendroctonus punctatus*, 173
Scolytidae, 173
Plecoptera, drumming, 234
Soyedina, 234
Plutella xylostella,

Bacillus thuringiensis, 531
randomly amplified polymorphic DNA, 531
pollen preference, *Megachile rotundata*, 862
pollination, 862
pollination, *Apis mellifera*, 366
cranberry, 334
Megachile rotundata, 862
native bees, 334
pollen preference, 862
queen pheromone, 366
polymerase chain reaction, DNA extraction, 281
Gryllidae, 281
polymorphism, *Calvia*, 785
Coccinellidae, 785
population genetics, *Cochliomyia macellaria*, 690
Diatraea grandiosella, 357
isozymes, 690
range expansion, 357
predator-prey interactions, biological control, 732
Orius insidiosus, 732
primitive Brachycera, morphology and taxonomy, 603
spermatheca, 603
progressive provisioning, guarding behavior, 374
parental care, 374
protandry, *Delia antiqua*, 756
eclosion, 756
Pyrgomorphidae, Hispaniola, 31
Sphenariini, 31
Pyrrhocoridae, Heteroptera, 12
Pyrrhopeplus, 12
Pyrrhopeplus, Heteroptera, 12
Pyrrhocoridae, 12

Q

queen pheromone, *Apis mellifera*, 366, 580
behavior, 580
pollination, 366
quiescence, *Anomoea flavokansiensis*, 342
diapause, 342

R

radiation, imaginal disks, 348
insect brain, 348
melanization, 201
phenoloxidase, 201
random amplified poly morphic DNA, *Ips*, 397
molecular systematics, 397
random amplified polymorphic DNA-polmerase chain reaction, *Bactrocera cucurbitae*, 705
genetic markers, 705
randomly amplified polymorphic DNA, *Bacillus thuringiensis*, 531
Plutella xylostella, 531
range expansion, *Diatraea grandiosella*, 357
population genetics, 357
Ranunculus adoneus, alpine insects, 576
heliotropism, 576
rate summation, development rate, 107
varying temperature, 107
rDNA, *Anopheles quadrimaculatus*, 836
mtDNA, 836
repleta group, *Drosophila*, 139
speciation, 139
reproductive cycle, earwig, 887
ovarian development, 887
resource availability, habitat selection, 456
Hemiptera, 456
Reticulitermes flavipes, nitrogen fixation, 764
Reticulitermes virginicus, 764
Reticulitermes virginicus, nitrogen fixation, 764
Reticulitermes flavipes, 764
revision, *Feltiella*, 16
key, 16
rhinoceros beetles, allometry, 92
character displacement, 641
dimorphism, 92
interspecific competition, 641
Rhyzobius lophanthae, *Aonidiella aurantii*, 441
Aspidiotous nerii, 441

S

scaling, acoustic commu nication, 479
sound pressure level, 479
Scolytidae, *Dendroctonus punctatus*, 173

Ips pini, 653
Ophiostoma ips, 653
Picea, 173
selection, *Bactrocera cucurbitae*, 848
developmental period, 848
Sesamum indicum, *Glycine max*, 661
Stink bug, 661
shore flies, Diptera, 627
Ephydridae, 627
sibling species, *Chrysopa*, 502
larval morphology, 502
Simuliidae, community, 51
cytospecies, 51
singing, *Acheta domesticus*, 362
magnetic field, 362
Smerdalea, Membracidae, 5
taxonomy, 5
Solenopsis invicta, biological control, 570
larvae, 876
oviposition, 876
Solenopsis saevissima, 570
Solenopsis saevissima, biological control, 570
Solenopsis invicta, 570
Sonoran Desert, *Aeneoloamia albofasciata*, 471
Cenchrus ciliaris, 471
sound pressure level, acoustic communication, 479
scaling, 479
Soyedina, drumming, 234
Plecoptera, 234
speciation, *Drosophila*, 139
mitochondrial DNA, 120
repleta group, 139
Zootermopsis, 120
spermatheca, morphology and taxonomy, 603
primitive Brachycera, 603
spermatophore, bursa copulatrix, 45
Danaus plexippus, 45
Sphenariini, Hispaniola, 31
Pyrgomorphidae, 31
Spodoptera frugiperda, detoxication enzymes, 80
nutritional physiology, 80
sterile insect technique, *Bactrocera dorsalis*, 883
mating competitiveness, 883
Stink bug, *Glycine max*, 661
Sesamum indicum, 661
stress physiology, cuticle, 485
Oryzaephilus surinamensis, 485
stylet bundle, *Adelges tsugae*, 827
hemlock wooly adelgid, 827
superparasitism, mating status, 220
patch-residence time, 220
systematics, biogeography, 263
Braconidae, 129
Greater Antilles, 263
Yelicones, 129

T

taxonomy, Campodeidae, 255
Diplura, 255
Membracidae, 5
Smerdalea, 5
Teloganella, classification, 324
Ephemeroptera, 324
termites, ants, 328
mutualism, 328
Tortricidae, Gelechiidae, 416
Lepidoptera, 416
translocation, *Bactrocera dorsalis*, 695
Blattella germanica, 543
chromosome orientation, 543
genetic sexing, 695
German cockroach, 538
mutants, 538
Trialeurodes vaporariorum, dorsal disks, 512
morphology, 512
Trichogramma minutum, development, 773
Ephestia kuehniella, 773
Trichoplusia ni, fecundity, 768
mating frequency, 768
Trirhabda geminata, development, 196
Encelia farinosa, 196

U

Uroleucon pseudambrosiae, *Bemisia tabaci*, 163
Lactuca sativa, 163

V

varying temperature, development rate, 107

rate summation, 107
Vespula pensylvanica,
insect rearing, 791
yellowjacket, 791
voltinism, *Diabrotica barberi*, 699
gene flow, 699

W

Wyeomyia smithii,
competition, 465
interference, 465

Y

Yelicones, Braconidae, 129
systematics, 129
yellowjacket, insect rearing, 791
Vespula pensylvanica, 791
Yponomeuta cagnagella,
Yponomeuta malinellus, 155
Yponomeuta multipunctella, 155
Yponomeuta malinellus,
Yponomeuta cagnagella, 155
Yponomeuta multipunctella, 155
Yponomeuta multipunctella,
Yponomeuta cagnagella, 155
Yponomeuta malinellus, 155

Z

Zootermopsis,
mitochondrial DNA, 120
speciation, 120